

Aruba 6.

7210 WNAM 1.3

1 :

aruba

NETWORKS

MOBILITY CONTROLLER | 7210

Dashboard

Monitoring

Configuration

Diagnostics

Maintenance

Save Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

Authentication

Access Control

WIRELESS

> AP Configuration

AP Installation

MANAGEMENT

General

Configuration > AP Group

AP Group

AP Specific

Delete

Delete

Delete

Delete

Delete

Delete

Delete

New

2.

2 :

aruba
NETWORKS

MOBILITY CONTROLLER | 7210

DashboardMonitoringConfigurationDiagnosticsMaintenanceSave Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

Authentication

Access Control

WIRELESS

> AP Configuration

AP Installation

MANAGEMENT

General

Configuration > AP Group

AP GroupAP Specific

Delete

Delete

Delete

Delete

Delete

Delete

Delete

wnam_auth

1.

Add

Cancel

2.

3 :

aruba
NETWORKS

MOBILITY CONTROLLER | 7210

DashboardMonitoringConfigurationDiagnosticsMaintenanceSave Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

> Authentication

Access Control

WIRELESS

AP Configuration

AP Installation

MANAGEMENT

General

Administration

Certificates

SNMP

Logging

Clock

Security > Authentication > Servers

ServersAAA ProfilesL2 AuthenticationL3 AuthenticationUser RulesAdvanced

Server Group

+

 RADIUS Server

+

 LDAP Server

+

 Internal DB

+

 Tacacs Accounting Server

+

 TACACS Server

+

 XML API Server

+

 RFC 3576 Server

+

 Windows Server

Server Group

Instance

wnam_au

Add

4 :

aruba
NETWORKS

MOBILITY CONTROLLER | 7210

DashboardMonitoringConfigurationDiagnosticsMaintenanceSave Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

> Authentication

Access Control

WIRELESS

AP Configuration

AP Installation

MANAGEMENT

General

Administration

Certificates

SNMP

Logging

Clock

Guest Provisioning

Captive Portal

SMTP

Bandwidth Calculator

Threshold

Security > Authentication > Servers

ServersAAA ProfilesL2 AuthenticationL3 AuthenticationUser RulesAdvanced

Server Group

RADIUS Server

LDAP Server

Internal DB

Tacacs Accounting Server

TACACS Server

XML API Server

RFC 3576 Server

Windows Server

RADIUS Server

Instance

wnam_srvAdd

5 :

6 :

7 WNAM:

aruba NETWORKS MOILITY CONTROLLER | 7210 [Log out admin](#)

Dashboard | Monitoring | **Configuration** | Diagnostics | Maintenance | [Save Configuration](#)

WIZARDS

- AP
 - Controller
 - Campus WLAN
 - Remote AP
 - AirWave
- NETWORK
 - Controller
 - VLANs
 - Ports
 - Cellular Profile
 - IP
- SECURITY
 - > **Authentication**
 - Access Control
 - WIRELESS
 - AP Configuration
 - AP Installation
 - MANAGEMENT
 - General
 - Administration
 - Certificates
 - SNMP
 - Logging
 - Clock
 - Guest Provisioning
 - Captive Portal
 - SMTP
 - Bandwidth Calculator
 - Threshold
 - ADVANCED SERVICES
 - Redundancy
 - AirGroup
 - IP Mobility
 - Stateful Firewall
 - External Services
 - VPN Services
 - Wired Access
 - All Profiles

Security > Authentication > Servers

Servers | AAA Profiles | L2 Authentication | L3 Authentication | User Rules | Advanced

☐ Server Group

☐ RADIUS Server

☐ LDAP Server

☐ Internal DB

☐ Tacacs Accounting Server

☐ TACACS Server

☐ XML API Server

☐ RFC 3576 Server

wnam controller x.x.x.x

☐ Windows Server

RFC 3576 Server > wnam controller x.x.x.x [Save](#)

Key: Retype:

Radsec: ☐

[Commands](#) [Apply](#) [View Commands](#)

8 rfc :

aruba NETWORKS MOILITY CONTROLLER | 7210

Dashboard | Monitoring | **Configuration** | Diagnostics | Maintenance | [Save Configuration](#)

WIZARDS

- AP
 - Controller
 - Campus WLAN
 - Remote AP
 - AirWave
- NETWORK
 - Controller
 - VLANs
 - Ports
 - Cellular Profile
 - IP
- SECURITY
 - > **Authentication**
 - Access Control
 - WIRELESS
 - AP Configuration
 - AP Installation
 - MANAGEMENT
 - General
 - Administration
 - Certificates

Security > Authentication > Servers

Servers | AAA Profiles | L2 Authentication | L3 Authentication | User Rules | Advanced

☐ Server Group

☐ RADIUS Server

☐ LDAP Server

☐ Internal DB

☐ Tacacs Accounting Server

☐ TACACS Server

☐ XML API Server

☒ RFC 3576 Server

☐ Windows Server

RFC 3576 Server [Install](#)

WNAM controller x.x.x.x [Add](#)

9 aaa :

aruba MOBILITY CONTROLLER | 7210

Dashboard Monitoring Configuration Diagnostics Maintenance Save Configuration

WIZARDS
AP
Controller
Campus WLAN
Remote AP
AirWave
NETWORK
Controller
VLANs
Ports
Cellular Profile
IP
SECURITY
Authentication
Access Control
WIRELESS
AP Configuration
AP Installation
MANAGEMENT
General
Administration

Security > Authentication > Profiles

Servers AAA Profiles L2 Authentication L3 Authentication User Rules Advanced

AAA

AAA Profiles Summary

Name	Role	MAC Auth.	802.1x Auth.	RADIUS Acct.	XML-API Auth.
Add					
1.					
wnam_aaa_profile					
2.					3.

Add Cancel

10 aaa :

aruba MOBILITY CONTROLLER | 7210 [Log out admin](#)

Dashboard Monitoring Configuration Diagnostics Maintenance Save Configuration

WIZARDS
AP
Controller
Campus WLAN
Remote AP
AirWave
NETWORK
Controller
VLANs
Ports
Cellular Profile
IP
SECURITY
Authentication
Access Control
WIRELESS
AP Configuration
AP Installation
MANAGEMENT
General
Administration
Certificates
SNMP
Logging
Guest Provisioning
Captive Portal
SMTP
Bandwidth Calculator
Threshold
ADVANCED SERVICES
Redundancy
AirGroup
IP Mobility
Stateful Firewall
External Services
VPN Services
Wired Access

Security > Authentication > Profiles

Servers AAA Profiles L2 Authentication L3 Authentication User Rules Advanced

AAA

AAA Profile > wnam_aaa_profile

Show Reference Save As Reset

Initial role	WNAM_role
MAC Authentication Default Role	guest
802.1X Authentication Default Role	guest
Download Role from CPM	
L2 Authentication Fail Through	
Multiple Server Accounting	
User idle timeout	☐ Enable seconds
Max IPv4 for wireless user	2
RADIUS Interim Accounting	☒
User derivation rules	--NONE--
Wired to Wireless Roaming	☒
SIP authentication role	--NONE--
Device Type Classification	☒
Enforce DHCP	☐
PAN Firewall Integration	☐
Open SSID radius accounting	☐

Commands

Apply View Commands

11 aaa, :

aruba NETWORKS MOBILITY CONTROLLER | 7210

Dashboard Monitoring **Configuration** Diagnostics Maintenance Save Configuration

WIZARDS

- AP
 - Controller
 - Campus WLAN
 - Remote AP
 - AirWave
- NETWORK
 - Controller
 - VLANs
 - Ports
 - Cellular Profile
 - IP
- SECURITY
 - > **Authentication**
 - Access Control
- WIRELESS
 - AP Configuration
 - AP Installation
- MANAGEMENT
 - General
 - Administration
 - Certificates
 - SNMP
 - Logging
 - Clock
 - Guest Provisioning
 - Captive Portal
 - SMTP
 - Bandwidth Calculator
 - Threshold
- ADVANCED SERVICES
 - Redundancy
 - AirGroup
 - IP Mobility
 - Stateful Firewall

Security > Authentication > Profiles

Servers AAA Profiles L2 Authentication L3 Authentication User Rules Advanced

AAA

- 21vvc
- ARUBA-DEMO-aaa_prof
- aug4
- corpnet
- default
- default-dot1x
- default-dot1x-psk
- default-mac-auth
- default-open
- default-xml-api
- guestnet
- guestneton
- MirVodnyhIgrushek
- NoAuthAAAProfile
- photonet
- whirl
- whirlcp
- wnam_aaa_profile
 - MAC Authentication
 - MAC Authentication Server Group** default
 - 802.1X Authentication
 - 802.1X Authentication Server Group

MAC Authentication Server Group > default

Fail Through

Load Balance

Servers

wnam_au

--NEW--

12 aaa, :

aruba NETWORKS MOBILITY CONTROLLER | 7210

Dashboard Monitoring **Configuration** Diagnostics Maintenance Save Configuration

WIZARDS

- AP
 - Controller
 - Campus WLAN
 - Remote AP
 - AirWave
- NETWORK
 - Controller
 - VLANs
 - Ports
 - Cellular Profile
 - IP
- SECURITY
 - > **Authentication**
 - Access Control
- WIRELESS
 - AP Configuration
 - AP Installation
- MANAGEMENT
 - General
 - Administration
 - Certificates
 - SNMP
 - Logging
 - Clock
 - Guest Provisioning
 - Captive Portal
 - SMTP
 - Bandwidth Calculator
 - Threshold
- ADVANCED SERVICES
 - Redundancy
 - AirGroup
 - IP Mobility

Security > Authentication > Profiles

Servers AAA Profiles L2 Authentication L3 Authentication User Rules Advanced

AAA

- aug4
- corpnet
- default
- default-dot1x
- default-dot1x-psk
- default-mac-auth
- default-open
- default-xml-api
- guestnet
- guestneton
- MirVodnyhIgrushek
- NoAuthAAAProfile
- photonet
- whirl
- whirlcp
- wnam_aaa_profile
 - MAC Authentication
 - MAC Authentication Server Group
 - 802.1X Authentication
 - 802.1X Authentication Server Group
 - RADIUS Accounting Server Group** default
 - XML API server
 - RFC 3576 server

RADIUS Accounting Server Group > default

Fail Through

Load Balance

Servers

wnam_au

--NEW--

13 aaa, RFC 3576 IP WNAM :

aruba

MOBILITY CONTROLLER | 7210

Dashboard

Monitoring

Configuration

Diagnostics

Maintenance

Save Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

> Authentication

WIRELESS

AP Configuration

AP Installation

MANAGEMENT

General

Administration

Certificates

SNMP

Logging

Clock

Guest Provisioning

Captive Portal

SMTP

Bandwidth Calculator

Threshold

ADVANCED SERVICES

Redundancy

AirGroup

IP Mobility

Security > Authentication > Profiles

ServersAAA ProfilesL2 AuthenticationL3 AuthenticationUser RulesAdvanced

default

default-dot1x

default-dot1x-psk

default-mac-auth

default-open

default-smi-api

guestnet

guestnetnet

MirVodnyhtgrushek

NoAuthAAAProfile

photonet

whirl

whirlcp

wnam_aaa_profile

MAC Authentication

MAC Authentication Server Group

802.1X Authentication

802.1X Authentication Server Group

RADIUS Accounting Server Group

XML API server

RFC 3576 server

RFC 3576 servers

Name

Add a profile

Add

1.

RFC 3576 server > X.X.X.X wnam ip

Key

Retype:

Radsec

2.

14 IP wnam :

aruba

NETWORKS

MOBILITY CONTROLLER | 7210

DashboardMonitoringConfigurationDiagnosticsMaintenanceSave Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

Authentication

Access Control

WIRELESS

AP Configuration

AP Installation

MANAGEMENT

General

Administration

Certificates

SNMP

Logging

Clock

Guest Provisioning

Captive Portal

SMTP

Bandwidth Calculator

Threshold

ADVANCED SERVICES

Redundancy

AirGroup

IP Mobility

Stateful Firewall

External Services

VPN Services

Advanced Services > Stateful Firewall > Destinations

Global SettingACL White ListWhite List BW ContractsNetwork ServicesDestination

Name

Add

1.

Add Rule

Rule Type

host

IP Address

wnam ip x.x.x.x

Add

Cancel

2.

15 L3 captive portal:

aruba NETWORKS MOBILITY CONTROLLER | 7210

Dashboard Monitoring **Configuration** Diagnostics Maintenance Save Configuration

WIZARDS
 AP
 Controller
 Campus WLAN
 Remote AP
 AirWave

NETWORK
 Controller
 VLANs
 Ports
 Cellular Profile
 IP

SECURITY
 > **Authentication**
 Access Control

WIRELESS
 AP Configuration
 AP Installation

MANAGEMENT
 General
 Administration
 Certificates
 SNMP
 Logging

Security > Authentication > L3 Authentication

Servers AAA Profiles L2 Authentication **L3 Authentication** User Rules Advanced

☐ Captive Portal Authentication

☐ WISPr Authentication

☐ VPN Authentication

☐ Stateful NTLM Authentication

☐ Stateful Kerberos Authentication

Captive Portal Authentication Profile

Instance

wnam_captive_portal Add

16 L3 captive portal:

aruba NETWORKS MOBILITY CONTROLLER | 7210

Dashboard Monitoring **Configuration** Diagnostics Maintenance Save Configuration

WIZARDS
 AP
 Controller
 Campus WLAN
 Remote AP
 AirWave

NETWORK
 Controller
 VLANs
 Ports
 Cellular Profile
 IP

SECURITY
 Authentication
 Access Control

WIRELESS
 AP Configuration
 AP Installation

MANAGEMENT
 General
 Administration
 Certificates
 SNMP
 Logging
 Clock
 Guest Provisioning
 Captive Portal
 SMTP
 Bandwidth Calculator
 Threshold

ADVANCED SERVICES
 Redundancy
 AirGroup
 IP Mobility
 Stateful Firewall

Security > Authentication > L3 Authentication

Servers AAA Profiles L2 Authentication **L3 Authentication** User Rules Advanced

☐ Captive Portal Authentication

☐ wnam_captive_portal
 Server Group wnam_ju

☐ WISPr Authentication

☐ VPN Authentication

☐ Stateful NTLM Authentication

☐ Stateful Kerberos Authentication

Captive Portal Authentication Profile > wnam_captive_portal

Show Reference Save As Reset

Default Role guest

Default Guest Role guest

Redirect Pause 2 sec

User Login ☒

Guest Login ☒

Logout popup window ☐

Use HTTP for authentication ☒

Login wait minimum wait 5 sec

Login wait maximum wait 10 sec

login wait CPU utilization threshold 60 %

Max Authentication failures 0

Show FQDN ☐

Authentication Protocol PAP

Login page wnam IP /cp/aruba/welcome

Welcome page wnam IP /cp/aruba/welcome

Show Welcome Page ☐

Add switch IP address in the redirection URL ☒

Adding user vlan in redirection URL ☒

Add a controller interface in the redirection URL address Aruba controller IP

Allow only one active user session ☐

White List wnam_destination Delete Add

Black List apple Delete Add

Show the acceptable use policy page ☐


User idle timeout Enable seconds

Redirect URL admin


Bypass Apple Captive Network Assistant ☒

URL Hash Key ***** Retype: *****

17 wnam aaa :



18 wnam_role policy:



19 wnam policy:

aruba MOBIILITY CONTROLLER | 7210 [Log out admin](#)

Dashboard | Monitoring | **Configuration** | Diagnostics | Maintenance | Save Configuration

WIZARDS
AP
Controller
Campus WLAN
Remote AP
AirWave

NETWORK
Controller
VLANs
Ports
Cellular Profile
IP

SECURITY
Authentication
Access Control

WIRELESS
AP Configuration
AP Installation

Security > Firewall Policies > Edit Session (WNAM_policy)

User Roles | System Roles | **Policies** | Time Ranges | Guest Access

Back

IP Version	Source	Destination	Service/Application	Action	Log	Mirror	Queue	Time Range	Pause ARM Scanning	BlackList	Classify Media	TOS	802.1p Priority
IPv4	user	wnam_destination	svc-http	permit			Low						
IPv4	user	wnam_destination	svc-https	permit			Low						
IPv4	any	any	svc-dhcp	permit			Low						
IPv4	any	any	svc-dns	permit			Low						
IPv4	user	controller	svc-https	permit			Low						

Add [A] [v] Delete

Note: Application/Web category rule will not be applied to unsupported platform

Apply

Commands View Commands

20 captive portal policy:

aruba MOBIILITY CONTROLLER | 7210 [Log out admin](#)

Dashboard | Monitoring | **Configuration** | Diagnostics | Maintenance | Save Configuration

WIZARDS
AP
Controller
Campus WLAN
Remote AP
AirWave

NETWORK
Controller
VLANs
Ports
Cellular Profile
IP

SECURITY
Authentication
Access Control

WIRELESS
AP Configuration
AP Installation

MANAGEMENT
General

Security > Firewall Policies > Edit Session (captiveportal)

User Roles | System Roles | **Policies** | Time Ranges | Guest Access

Back

IP Version	Source	Destination	Service/Application	Action	Log	Mirror	Queue	Time Range	Pause ARM Scanning	BlackList	Classify Media	TOS	802.1p Priority
IPv4	any	cp.wi-fi-bar.com	any	permit			Low						
IPv4	user	controller	svc-https	dst-nat 8081			Low						
IPv4	user	any	svc-https	dst-nat 8080			Low						
IPv4	any	any	svc-https	dst-nat 8081			Low						
IPv4	user	any	svc-http-proxy1	dst-nat 8088			Low						
IPv4	user	any	svc-http-proxy2	dst-nat 8088			Low						
IPv4	user	any	svc-http-proxy3	dst-nat 8088			Low						

Add [A] [v] Delete

Note: Application/Web category rule will not be applied to unsupported platform

Apply

Commands View Commands

21 logon-control policy:

aruba MOBIILITY CONTROLLER | 7210 [Log out admin](#)

Dashboard | Monitoring | **Configuration** | Diagnostics | Maintenance | Save Configuration

WIZARDS
AP
Controller
Campus WLAN
Remote AP
AirWave

NETWORK
Controller
VLANs
Ports
Cellular Profile
IP

SECURITY
Authentication
Access Control

WIRELESS
AP Configuration
AP Installation

MANAGEMENT
General

Security > Firewall Policies > Edit Session (logon-control)

User Roles | System Roles | **Policies** | Time Ranges | Guest Access

Back

IP Version	Source	Destination	Service/Application	Action	Log	Mirror	Queue	Time Range	Pause ARM Scanning	BlackList	Classify Media	TOS	802.1p Priority
IPv4	user	any	udp 68	deny			Low						
IPv4	any	any	svc-icmp	permit			Low						
IPv4	any	any	svc-dns	permit			Low						
IPv4	any	any	svc-dhcp	permit			Low						
IPv4	any	any	svc-nat	permit			Low						
IPv4	any	169.254.0.0 255.255.0.0	any	deny			Low						
IPv4	any	240.0.0.0 240.0.0.0	any	deny			Low						

Add [A] [v] Delete

Note: Application/Web category rule will not be applied to unsupported platform

Apply

Commands View Commands

22 guest policy:

aruba MOBIILITY CONTROLLER | 7210 [Log out admin](#)

Dashboard | Monitoring | **Configuration** | Diagnostics | Maintenance | Save Configuration

WIZARDS
AP
Controller
Campus WLAN
Remote AP
AirWave

NETWORK
Controller
VLANs
Ports
Cellular Profile
IP

SECURITY
Authentication
Access Control

WIRELESS
AP Configuration
AP Installation

MANAGEMENT
General
Administration
Certificates
SNMP
Logging
Clock
Guest Provisioning
Captive Portal
SMTP
Bandwidth Calculator
Threshold

ADVANCED SERVICES

Security > User Roles > Edit Role(guest)

User Roles | System Roles | Policies | Time Ranges | Guest Access

Back

Firewall Policies	Bandwidth Contracts	
Name	Rule Count	Location
global-sad	0	
apport-guest-sad	0	
ra-subad	1	
http-ad	1	
https-ad	1	
dhcp-ad	1	
icmp-ad	1	
dns-ad	1	
vs-http-ad	1	
vs-https-ad	1	
vs-dhcp-ad	1	
vs-icmp-ad	1	
vs-dns-ad	1	
wnam_access	1	

Add [A] [v] Delete

Misc. Configuration

Re-authentication Interval: 0 minutes (0 disables re-authentication. A positive value enables authentication 0-4096)

Role VLAN ID: Not Assigned

VPN Dialer: Not Assigned

L2TP Pool: Not Assigned (default-l2tp-pool)

PPTP Pool: Not Assigned (default-pptp-pool)

Captive Portal Profile: Not Assigned

Captive Portal Check for Accounting: ☒

Max Sessions: 65535 (0 - 65535)

idp profile name: none

Stateful NTLM Profile: Not Assigned

Stateful Kerberos Profile: Not Assigned

WISPr Profile: Not Assigned

Enable Deep Packet Inspection: ☒

Enable Web Content Classification: ☒

Enable YouTube Education: ☒

Apply

Commands View Commands

23 wnam_access guest policy:

aruba

MOBILITY CONTROLLER | 7210

Log out admin

Dashboard

Monitoring

Configuration

Diagnostics

Maintenance

Save Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

Authentication

Access Control

WIRELESS

AP Configuration

AP Installation

MANAGEMENT

General

Security > User Roles > Edit Role(guest) > Edit Session (wnam_access)

User Roles | System Roles | Policies | Time Ranges | Guest Access

Back

IP Version	Source	Destination	Service/Application	Action	Log	Mirror	Queue	Time Range	Pause ARM Scanning	BlackList	Classify Media	TOS	802.1p Priority
IPv4	user	host wnam ip x.x.x.x	svc-http	permit			Low						
Add ↑ ↓ Delete													

Note: Application/Web category rule will not be applied to unsupported platform

Done

24 IP Radius client:

aruba

MOBILITY CONTROLLER | 7210

Dashboard

Monitoring

Configuration

Diagnostics

Maintenance

Save Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

Authentication

Access Control

WIRELESS

AP Configuration

AP Installation

MANAGEMENT

General

Administration

Certificates

SNMP

Logging

Clock

Guest Provisioning

Captive Portal

SMTP

Security > Authentication > Advanced

Authentication Timers

User Idle Timeout

300

sec

Authentication Server Dead Time (min)

10

Logon User Lifetime (min)

5

User Interim stats frequency

600

sec

RADIUS Client

NAS IPv4 Address

ip aruba для связки с WNAM

Source Interface v4

<--

None

NAS IPv6 Address

:::1

Source Interface v6

::

<--

None

DNS Query Interval

DNS Query Interval (min)

15

Survivability

Enable Auth Survivability

☐

Server Certificate

N/A

Cache Lifetime (hrs)

24

Commands

25 :

aruba

NETWORKS

MOBILITY CONTROLLER | 7210

DashboardMonitoringConfigurationDiagnosticsMaintenance

Save Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

Authentication

Access Control

WIRELESS

> AP Configuration

AP Installation

MANAGEMENT

General

Administration

Configuration > AP Group

AP GroupAP Specific

New

wnam_auth

AddCancel

26 wnam_auth:

aruba

NETWORKS

MOBILITY CONTROLLER | 7210

Log out admin

DashboardMonitoringConfigurationDiagnosticsMaintenance

Save Configuration

WIZARDS

AP

Controller

Campus WLAN

Remote AP

AirWave

NETWORK

Controller

VLANs

Ports

Cellular Profile

IP

SECURITY

Authentication

Access Control

WIRELESS

> AP Configuration

AP Installation

MANAGEMENT

General

Administration

Certificates

SNMP

Logging

Clock

Guest Provisioning

Captive Portal

SMTP

Bandwidth Calculator

Threshold

ADVANCED SERVICES

Redundancy

AirGroup

IP Mobility

Stateful Firewall

External Services

VPN Services

Wired Access

Configuration > AP Group > Edit "wnam_auth"

Profiles

Wireless LAN

Profile Details

Name	AAA Profile	SSID Profile	VLAN	Forward mode	Virtual AP enable	Actions
Add a profile: wnam_auth						

ApplyView Commands