

MonitorResponder

```
MonitorResponderEngine (jserver)      jserver webadmin .
TCP/IP , "" UDP 20003 127.0.0.1, . , jserver/bin/n4ctl
```

```
# ./n4ctl js_billing_flows
2682342

# ./n4ctl getservice id=4
ADM_BLK [28.10.2011 14:41]

# ./n4ctl getauthstate ip=192.168.100.1
NOT_LOGGED

# ./n4ctl getauthstate ip=127.0.0.1
pupkin

# ./n4ctl getauthstate login=pupkin
logged_from 127.0.0.1 logged_at 1319799612200 last_seen 1319799612200 au_id 1 method web
```

:

- num_objects
- config_size
- uptime
- js_rpc_calls
- js_billing_flows
- js_billing_active
- ws_logged_users
- js_auth_logged
- savecfg
- getservice id=_
- getauthstate ip=_IP_
- getauthstate login=_

''' Zabbix:

```
# tail -n 2 /etc/zabbix/zabbix_agentd.conf

UserParameter=netams4.js_billing_flows,/usr/local/netams4/jserver/bin/n4ctl js_billing_flows
UserParameter=netams4.js_rpc_calls,/usr/local/netams4/jserver/bin/n4ctl js_rpc_calls
```

